



---

# **Spytec GPS OBD Tracker for Vehicles**

User Manual

## In the Box

- Tracker with programmed memory card already installed  
*\*User does not typically need to remove the memory card.*

Memory card and USB socket compartment

OBD Connector



## Step 1: Locate your IMEI

- Locate the International Mobile Equipment Identity (IMEI) number on the sticker affixed to your tracker. The number is 15 characters long. You will need to enter it to set up your account.

## Step 2: Install Tracker

- Find the On Board Diagnostics (OBD) port on your vehicle. It is typically located under the dashboard on the driver's side. All vehicles made since 1996 are equipped with this socket. Though the tracker contains two rows of eight pins each, the frame is narrower on the top than the bottom. Take care to line up the wider end with the wider end of the OBD socket. Depending on the vehicle,

you may have to plug the tracker in upside down. If so, keep in mind that the LED array will be displayed in reverse order as seen in this user guide.

- *Note: the OBD port was designed to provide diagnostic information to a car mechanic. But it also provides power. During the infrequent times that diagnostic equipment needs to be connected to the OBD port, you or the mechanic can temporarily disconnect the tracker. An optional cable is available that enables the tracker to always be connected without removing it for diagnostics.*
- *Keep in mind that though the tracker uses only the OBD's power connectors, the other connectors are deployed to physically support the tracker so it stays in place.*

## Step 3: Create an Account & Login

1. From a browser on a computer or smartphone, go to:  
[www.spytec.com/gps-activation](http://www.spytec.com/gps-activation).
2. Click on the "Activate a new tracker" tile.
3. Fill out the entire multi-screen form.
4. Your login details will be emailed to you. Please allow up to 24 hours for your tracker to be activated.
5. Once you log into your account, you will see the mapping platform where your OBD Tracker will show its location.

# Important Facts

- Default programming for the OBD Tracker is to update every 3 hours when not moving and once a minute when moving.

# Specifications

INTERFACES	
Power	OBDII port
Cellular antenna	Internal only
GPS antenna	2 internal; uses one with better signal automatically
LED indicators	Cellular, GPS
Micro USB	Used for upgrading and debugging
ENVIRONMENTAL	
Operating temperature	approximately -22°F ~ 176°F
ELECTRICAL	
Operating voltage	8 V to 32 V DC
Battery	Backup Battery Li-Polymer, 60 mAh
PHYSICAL	
Dimensions	1.95" x 1.91" x 0.86"
Weight	2.05 oz

# Help

Thank you for purchasing a Spytec GPS product. We appreciate your business and strive to make your experience the best possible. If you have any issues with your product, contact us at the following addresses:

**Email tech support questions to:** [support@spytec.com](mailto:support@spytec.com)

**Email billing questions to:** [support@spytec.com](mailto:support@spytec.com)

**To download user manuals**—including the one for the Spytec GPS platform software that you'll use to track your GPS device from a phone, tablet or computer, go to: <http://www.spytec.com/manuals>

**Log into your tracker at:** [app.spytec.com](http://app.spytec.com)

# Warranty



This Unconditional Lifetime Warranty applies to the OBD Tracker for Vehicles sold by Spytec GPS. This warranty covers any manufacturing defects to the device or accessories encountered during normal use, with an active Spytec GPS subscription. This warranty does NOT cover damages resulting from improper use of the device (including the use of incompatible accessories such as chargers, storage devices, etc.), unauthorized modifications to the device, negligence, any environmental or natural disasters, or loss or theft. This warranty does NOT cover water damage. This warranty requires proof of sale of the device from Spytec GPS or approved resellers only.

Devices that are covered will be repaired or replaced at the discretion of Spytec GPS. Devices requiring replacement will be fulfilled with a new or refurbished unit, or a similar unit if the original unit is no longer available.

To take advantage of our warranty, go to <http://www.spytec.com/pages/returns/> and review our Returns Policy. If your device meets the above guidelines as well as the guidelines on our website, please click the button to proceed to the Return Authorization Form. In the event that our online guidelines change, this warranty will supersede any newer changes. Once you have filled out the Return Merchant Authorization Form, please wait for instructions.